

Wireline Equalization using Pulse-Width Modulation

Jan-Rutger Schrader

Samenstelling promotiecommissie:

Voorzitter:

prof.dr.ir. A.J. Mouthaan

Universiteit Twente

Secretaris:

prof.dr.ir. A.J. Mouthaan

Universiteit Twente

Promotor:

prof.dr.ir. B. Nauta

Universiteit Twente

Assistent-promotor:

dr.ing. E.A.M. Klumperink

Universiteit Twente

Referenten:

dr. J.L. Visschers

NIKHEF Amsterdam

dr. M. Kuijk

VU Brussel

Leden:

prof.dr.ir. W.C. van Etten

Universiteit Twente

prof.ir. A.J.M. van Tuijl


Universiteit Twente

prof.dr.ir. A.H.M. van Roermund

TU Eindhoven



CTIT Ph.D. thesis Series No. 07-104
Centre for Telematics and Information Technology (CTIT)
P.O. Box 217 - 7500 AE Enschede - The Netherlands
ISSN 1381-3617



This work is part of the research programme of the 'Stichting voor Fundamenteel Onderzoek der Materie (FOM)', which is financially supported by the 'Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO)'.

© 2007 J.H.R. Schrader (<http://www.schrader-ic.com>)

Cover design: Tineke Schrader-Florijn
Printed by Gildeprint

ISBN 978-90-365-2567-1

WIRELINE EQUALIZATION USING PULSE-WIDTH MODULATION

PROEFSCHRIFT

ter verkrijging van
de graad van doctor aan de Universiteit Twente,
op gezag van de rector magnificus,
prof.dr. W.H.M. Zijm,
volgens besluit van het College voor Promoties
in het openbaar te verdedigen
op donderdag 11 oktober 2007 om 16.45 uur

door

Johan Hendrik Rutger Schrader

geboren op 27 september 1976
te Enkhuizen

Dit proefschrift is goedgekeurd door:

de promotor prof.dr.ir. B. Nauta

de assistent-promotor dr.ing. E.A.M. Klumperink

“Knowledge is a matter of piling up facts; wisdom lies in their simplification.”

--Martin H. Fischer (1879-1962)

Aan mijn familie

Table of contents

1. INTRODUCTION	1
1.1. High speed data-communication over wires	1
1.2. Types of copper interconnects and their behavior in the frequency domain	3
1.2.1. Types of copper interconnects.....	3
1.2.2. Frequency domain behavior.....	4
1.3. Factors limiting the bit rate – a time domain view.....	5
1.3.1. Intersymbol interference	5
1.3.2. Reflections	8
1.4. Equalization	9
1.4.1. Concept of equalization	9
1.4.2. Equalizer gain plot and loss compensation	11
1.5. Solutions from literature	12
1.5.1. Equalizers.....	12
1.5.2. Modulation: OFDM	15
1.6. Research challenges and thesis overview	16
1.6.1. Research challenges.....	16
1.6.2. Thesis overview.....	17
2. MODELING COPPER CABLES AND PCBs	19
2.1. Introduction	19
2.2. Propagation constant and Kramers-Kronig relations	20
2.2.1. Propagation constant	20
2.2.2. Kramers-Kronig relations	21
2.3. Frequency domain equations	22
2.3.1 Conductor losses: the skin effect.....	22
2.3.2. Dielectric Loss.....	25
2.3.3. Isolated magnitude transfer function for skin loss and dielectric loss	28
2.4. Time domain equations.....	29
2.4.1. Skin-effect impulse response	29
2.4.2. Impulse response for dielectric loss	31
2.5. Match between model and measurements	31
2.5.1. Copper channel types.....	32
2.5.2. Transient behavior	34
2.5.3. Measurements – model match	36
2.6. Conclusions	43
3. EFFECT OF TIMING NON-IDEALITIES ON AN ANALOG MULTICARRIER SYSTEM	45
3.1. Introduction	45
3.2. OFDM principles.....	46
3.3. Practical proposal for ‘analog OFDM’ system architecture	46
3.4. PLL jitter	48
3.5. Types of inter-carrier interference	48
3.6. Impact of jitter on crosstalk between in-phase and quadrature signal at a given frequency	49

3.6.1. Concept of jitter analysis	50
3.6.2. Definitions	50
3.6.3. Correlation plots.....	50
3.6.4. Probability of bit error	52
3.6.5. Bit rate limits	54
3.7. Statistical jitter simulations.....	55
3.7.1. ICI type (1) as a consequence of jitter	56
3.7.2. Impact of duty-cycle variations on carrier orthogonality	58
3.8. Related work from literature	60
3.9. Conclusions	61
 4. PWM PRE-EMPHASIS.....	63
4.1. Introduction	63
4.2. Pulse-width modulation pre-emphasis	63
4.3. Frequency domain comparison.....	66
4.3.1. PSD and transfer function of PWM pre-emphasis	66
4.3.2. PSD and transfer function of 2-tap SSF	69
4.3.3. Comparison of transfer functions	71
4.3.4. Equalized channel channel transfer function	74
4.3.5. Filter DC behavior: move power to higher frequencies	75
4.4. Numerical time-domain simulations of ISI	78
4.4.1. Model of skin-effect-only channel	79
4.4.2. Peak distortion analysis	80
4.4.3. Sensitivity to jitter	81
4.5. PWM 1-edge chip design and measurements	83
4.5.1. Chip 1: design and measurements	83
4.5.2. Chip 2: design and measurements	90
4.5.3. Chip 3: measurements on a PCB trace.....	93
4.6. Conclusions	96
 5. MULTITAP PWM PRE-EMPHASIS	99
5.1. Introduction	99
5.2. Principle of the multitap PWM filter	100
5.2.1. Same-area approach to translate FIR filter to PWM filter	100
5.2.2. 2-level, 3-tap PWM	103
5.3. PSD functions of the multitap PWM filters	105
5.3.1. Autocorrelation method	105
5.3.2. PSD functions	113
5.4. Reducing the number of transitions in the 2PWM scheme	115
5.5. Conclusions	121
 6. CONCLUSIONS	123
6.1. Summary of the thesis	123
6.1.1. Main research questions	123
6.1.2. Chapter 2	123
6.1.3. Chapter 3	123
6.1.4. Chapter 4	124
6.1.5. Chapter 5	124
6.2. Original contributions	125
6.3. Recommendations for future research	126

APPENDIX A. DIFFUSION EQUATION FOR SKIN EFFECT	127
APPENDIX B. JITTER DURING THE INTEGRATION PERIOD	129
APPENDIX C. TABLES FOR AUTOCORRELATION CALCULATIONS.....	131
REFERENCES	137
SAMENVATTING	143
LIST OF PUBLICATIONS	147
DANKWOORD	149
ABOUT THE AUTHOR.....	151

